

# Thoroughbred Basic™ for Windows Pocket PC Installation Guide



*Version 8.6.0*

285 Davidson Avenue, Ste. 302 • Somerset, NJ 08873-4153  
Telephone: 732-560-1377 • Outside NJ 800-524-0430  
Fax: 732-560-1594

Internet address: <http://www.tbred.com>

Published by:  
Thoroughbred Software International, Inc.  
285 Davidson Ave., Suite 302  
Somerset, New Jersey 08873-4153

Copyright © 2007 by Thoroughbred Software International, Inc.

All rights reserved. No part of the contents of this document  
may be reproduced or transmitted in any form or by any means  
without the written permission of the publisher.

Document Number: B8.6.0IPPC01

The Thoroughbred logo, Swash logo, and Solution-IV Accounting logo, THOROUGHbred, IDOL, OPEN WORKSHOP, and VIP VISUAL IMAGE PRESENTATION are registered trademarks of Thoroughbred Software International, Inc.

Thoroughbred Basic, Thoroughbred Environment, OPENworkshop, T-WEB, IDOL-IV, Inquire-IV, Dictionary-IV, Script-IV, Report-IV, Query-IV, Source-IV, TS Network DataServer, TS ODBC DataServer, TS ODBC R/W DataServer, TS ORACLE DataServer, TS DataServer for MS SQL Server, TS XML DataServer, VIP (Visual Image Presentation), VIP for Dictionary-IV, VIP, GWW, Gateway for Windows™, TS ChartServer, TS ReportServer, TS WebServer, TbredComm, WorkStation Manager, Solution-IV, Solution-IV Reprographics, Solution-IV ezRepro, TS/Xpress, and DataSafeGuard are trademarks of Thoroughbred Software International, Inc.

MS-DOS, Xenix, Windows, Microsoft Windows 2000, NT, and XP, Windows 2003 Server and MS SQL Server are trademarks of Microsoft Corp. IBM, IBM PC, OS/2, PS/2, and PC-DOS are trademarks of International Business Machines Corp.

DEC, OPEN VMS, and ULTRIX are trademarks of Digital Equipment Corp.

UNIX is a trademark licensed exclusively through X/Open Company

LTD.Novell is a registered trademark of Novell, Inc.

Oracle is a registered trademark of Oracle Systems Corporation

InstallShield is a registered trademark of Stirling Technologies, Inc.

Other names, products and services mentioned are the trademarks or registered trademarks of their respective vendors or organizations.

# THOROUGHbred BASIC FOR WINDOWS POCKET PC INSTALLATION

The Thoroughbred Installation requires your Pocket PC device to be connected to a Windows Workstation.

Using Windows Explorer from the Windows Workstation, first copy the Setup folder from your Installation CD-ROM to your workstation. Then, copy the files listed below from your workstation to your Pocket PC. You will need to create an IDL4 directory on your Pocket PC.

<u>File to be copied:</u>	<u>Directory:</u>
IPLINPUT.TXT	\
GETSSN.EXE	\
 TCONFIGW	 \IDL4
 TSL.INI	 \windows
TSICONST.INI	\windows
IBMPCDOS.TTF	\windows
 B.EXE	 \windows\start menu

**Note:** The IBMPCDOS.TTF may already exist.

## WHICH BASIC IS RIGHT FOR YOUR POCKET PC

Thoroughbred has two Basic executables that have been tested with the HP Jornada, Dell Axim, and the Compaq iPaq. Both the Dell and Compaq devices use the same Basic. The HP requires a separate compile. You can check the version of your Windows Pocket PC from your handheld device by doing the following:

### *Compaq/Dell*

From the **Start Menu**, click on **Settings; System** and then click on **About**. The version should read similar to:

Microsoft Pocket PC  
Version 3.0.11171 (Build 11178)

### *HP*

From the **Control Panel**, click on **System**; click on the **System Tab**. The version should read similar to:

Microsoft Windows for Handheld PC 2000  
Core System Version 3.0  
Build 9546-126

Select the correct Basic for your Pocket PC device from the Setup\Basic folder.

## INSTALL BASIC

Using the Pocket PC device, run **File Explorer** and double-click **GETSSN.EXE**. You will be prompted to enter your Serial Number, Owner and Company name. Select **OK** to serialize your Basic.

## BEFORE RUNNING BASIC

Copy your application from a Windows Workstation to a directory on your Pocket PC. Make sure to add this directory to IPLINPUT.TXT. If your application is Dictionary-IV based, be sure to copy a pre-merged IDDBD to your Pocket PC.

## RUNNING BASIC FOR THE FIRST TIME

From the **Start Menu**, select **B** (you can rename the executable for a more descriptive Start name). You will be prompted to complete the Thoroughbred Activation.

**Note:** Pocket PC Basics can be activated using Thoroughbred's Web-based Activation system ([www.tbred.com/b\\_activate.html](http://www.tbred.com/b_activate.html)).

## KEYBOARD FOR THE POCKET PC

The Basic menu bar includes the Pocket PC keyboard icon. Click on the keyboard icon to open the keyboard. Click on it again to close the keyboard. The Pocket PC keyboard does not include some keys often used with Thoroughbred Applications. You can access the following from the Thoroughbred menu bar:

- FKeys**      displays all function keys
- Keys**        display editing keys  
(CIns, CDel, LIns, LDel, LErase, Home, PgUp, PgDn, CtlB, Hot Key, Escape)
- Menu**        displays Copy, Paste, About, and Exit

## TERMINATING THE BASIC TASK

Your application should terminate Basic by doing a RELEASE. Clicking on the X in the top right-hand corner will minimize your Basic session. To view running Pocket PC programs (including Basic), go to **Settings**; **System Tab**; **Memory**; and then select the **Running Programs Tab**.

## USING THE PEN STYLUS

The TSLINI parameter file is pre-configured for mouse-aware. If you are running an OPENworkshop 8.5.0 or higher application, you can start using the Pen Stylus immediately. Otherwise, you will need to incorporate mouse-aware into your application's INPUT routines. See the 8.6.0 Thoroughbred Basic Release Notes for more information.

## EXCEPTIONS USING POCKET PC BASIC

The following functionality is NOT available with the Pocket PC Basic:

- INF(3,x); API; OPT=DDE; SYSTEM; Large file support; File locks

The following File/Database access is NOT supported:

- Btrieve, MicroFocus C-ISAM, ODBC

The following Thoroughbred interfaces are NOT supported:

- VIP, TS Oracle DataServer, TS DataServer for SQL Server
- Only Type 4 printers are supported with the initial release.

## SUPPORTED WITH VERSION 8.6.0

The following Thoroughbred interfaces ARE supported with version 8.6.0:

- INF(3,2) – returns the Owner from GETSSN
- OPT=SOCKET
- TS Network DataServer

## CHANGES TO DEFAULT SETTINGS

The typical Pocket PC has fewer resources than a Windows Workstation. Therefore a number of internal default settings were reduced. Depending on your application, you may want to increase some of these values. For example, OPENworkshop does not run well without increasing the number of Public Programs.

<b><u>Description</u></b>	<b><u>Standard</u></b>	<b><u>Pocket PC</u></b>
Number of loaded programs use PRM PUBLICS= to change Expands dynamically	100	20
Number of open object libraries	48	8
Number of open LINKS Expands dynamically	100	20
Number of included formats Expands dynamically	100	20
Initial I/O Buffer (bytes)	40000	16352

## ADDRESSING SCREEN POSITIONING

The Pocket PC screen does not display an 80x24. Some devices may only display 32 characters wide and 18 lines. Your application will need to take this into consideration. The Thoroughbred main window is still 80x24. Vertical and horizontal scroll bars are available to pan the visible portion of the screen. Your application can also pan the screen to a defined position using a new terminal mnemonic.

```
PRINT 'PANTO',@(15,5)
```

This moves the 15,5 to the top left corner of the Pocket PC screen.

Examples:

```
WINDOW CREATE(20,10,15,5) "BORDER=LG"; PRINT 'PANTO',@(15,5),
```

This example creates a new 20x10 Basic window at column 15 row 5 with a line-graphic border. The PANTO mnemonic scrolls the main Basic window so that new 20x10 window is in the top left corner of the visible screen.

```
PRINT 'PANTO',@(40,10),; INPUT @(40,10),A$
```

This example uses the PANTO mnemonic to scroll the screen so that column 40 row 10 is in the top left corner of the visible screen. The input directive that follows will occur in the top left corner of the visible screen.